



Nothing but **HEAVY DUTY.**

ULTIMATE PRODUCTIVITY. SUPERIOR PERFORMANCE.

TAPE MEASURES

(ดัลป์เมตร)



General Information

Part #	Description	Part #	Description
48-22-5305	5m Magnetic Tape Measure	48-22-5216	5m/16ft Magnetic Tape Measure
48-22-5308	8m Magnetic Tape Measure	48-22-5225	8m/26ft Magnetic Tape Measure
48-22-5507	2m Keychain Tape	48-22-5506	2m/6ft Keychain Tape



General Information

Part #	Description	Part #	Description
48-22-6115	5m Magnetic Tape Measure	48-22-6116	5m/16' Magnetic Tape Measure
48-22-6118	8m Magnetic Tape Measure	48-22-6117	8m/26' Magnetic Tape Measure
48-22-6115F	5m Magnetic Feng Shui Tape Measure	48-22-6118F	8m Magnetic Feng Shui Tape Measure

INKZALL™ MARKERS

(ปากกามาร์ค)



General Information

Part #	Description	Part #	Description
48-22-3100	Fine Point Black Marker	48-22-3101	2 in1 Stylus and Black Marker
48-22-3102	2pk Medium Point Black Markers	48-22-3106	Color Std. Markers (4 pk)
48-22-3103	1pk Chisel Tip Black Markers	48-22-3107	8pc INKZALL™ Fine Point Colored
48-22-3104	4pk Fine Point Black Markers	48-22-3712	INKZALL™ White Liquid Paint Marker
48-22-3105	Fine Point Black Marker (2pk)	48-22-3722	INKZALL™ Yellow Liquid Paint Marker



JOBSITE STORAGE

JOBSITE SOFT STORAGE (กระเป๋า)



General Information

Part #	Description	Part #	Description
48-22-8200	Jobsite Backpack	48-22-8180	Zippered Pouch
48-22-8210	Jobsite Tech Bag	48-22-8193	3-Pack Zippered Pouch
48-22-8170	Jobsite Organizer Bag		

JOBSITE HARD STORAGE

(กล่องใส่เครื่องมือ ชนิดแข็ง)



General Information

Part #	Description	Part #	Description
48-22-8010	13" Jobsite Work Box	48-22-8030	Jobsite Organizer
48-22-8020	26" Jobsite Work Box		

JOBSITE WORK GEAR

(ถุงมือ)

NEW



General Information

Part #	Description	Part #	Description
48-22-8100	Electrician's Pouch	48-22-9731	Jobsite Work Glove - M
48-22-8110	Electrician's Work Belt	48-22-9732	Jobsite Work Glove - L
		48-22-9733	Jobsite Work Glove - XL
		48-22-9734	Jobsite Work Glove - XXL

HAND
TOOLS



Nothing but **HEAVY DUTY**®

TORQUE LOCK™ (คีมล็อก)



General Information


Part #	Description
48-22-3507	7" TORQUE LOCK™ Straight Jaw Locking Plier
48-22-3607	7" MAXBITE Curved Jaw Locking Plier
48-22-3420	10" TORQUE LOCK™ Curved Jaw Locking Plier
48-22-3510	10" TORQUE LOCK™ Straight Jaw Locking Plier
48-22-3610	10" MAXBITE Curved Jaw Locking Plier
48-22-3522	6" TORQUE LOCK™ Locking C-Clamp Swivel Jaws
48-22-3521	11" TORQUE LOCK™ Locking C-Clamp Swivel Jaws
48-22-3532	6" TORQUE LOCK™ Locking C-Clamp Regular Jaws
48-22-3531	11" TORQUE LOCK™ Locking C-Clamp Regular Jaws

PLIERS (คีม)



General Information

Part #	Description	Part #	Description
48-22-3079	6 in 1 Combo Pliers	48-22-6103	Crimping Pliers
48-22-3070	6 in 1 Combo Pliers for Non-Metallic Wire	48-22-6101	Long Nose Pliers
48-22-6109	Wire Strippers	48-22-6100	Linesman Pliers
48-22-6104	Cable Cutting Pliers		




General Information

Part #	Description	Part #	Description
48-22-6102	Ironworker's Pliers	48-22-6108	8" Diagonal Cutting Pliers
48-22-6407	7" Nipping Pliers	48-22-6107	7" Diagonal Cutting Pliers
48-22-6410	Fencing Pliers	48-22-6106	6" Diagonal Cutting Pliers
48-22-6321	PVC/Oil Filter Pliers		

PIPE WRENCHES (ประแจแป๊ป)

NEW



General Information

Part #	Description	Part #	Description
48-22-7110	10" Steel Pipe Wrench	48-22-7210	10" Aluminum Pipe Wrench
48-22-7112	12" Steel Pipe Wrench	48-22-7212	12" Aluminum Pipe Wrench
48-22-7114	14" Steel Pipe Wrench	48-22-7214	14" Aluminum Pipe Wrench
48-22-7118	18" Steel Pipe Wrench	48-22-7218	18" Aluminum Pipe Wrench
48-22-7314	Cheater Pipe Wrench	48-22-7224	24" Aluminum Pipe Wrench

ADJUSTABLE WRENCHES (NEW)



General Information

Part #	Description	Part #	Description
48-22-7406	6" Adjustable Wrench	48-22-7412	12" Adjustable Wrench
48-22-7408	8" Adjustable Wrench	48-22-7415	15" Adjustable Wrench
48-22-7508	8" Wide Jaw Adjustable Wrench	48-22-7400	2pc. Adjustable Wrench Set 6" & 10"
48-22-7410	10" Adjustable Wrench		

HEX JAWS PLIERS & STRAIGHT-JAWS PLIERS (NEW)



General Information

Part #	Description	Part #	Description
48-22-6306	6" Straight Jaw Pliers	48-22-6208	8" Hex Jaw Pliers
48-22-6310	10" Straight Jaw Pliers	48-22-6210	10" Hex Jaw Pliers
48-22-6312	12" Straight Jaw Pliers	48-22-6212	12" Hex Jaw Pliers
48-22-6316	16" Straight Jaw Pliers	48-22-6330	6" & 10" Straight Jaw Plier Set
48-22-6320	20" Straight Jaw Pliers	48-22-6331	3pc Plier Set

HAND TOOLS



Nothing but **HEAVY DUTY**®

TORQUE LOCK™ (คีมล็อค)



General Information

Part #	Description
48-22-3507	7" TORQUE LOCK™ Straight Jaw Locking Plier
48-22-3607	7" MAXBITE Curved Jaw Locking Plier
48-22-3420	10" TORQUE LOCK™ Curved Jaw Locking Plier
48-22-3510	10" TORQUE LOCK™ Straight Jaw Locking Plier
48-22-3610	10" MAXBITE Curved Jaw Locking Plier
48-22-3522	6" TORQUE LOCK™ Locking C-Clamp Swivel Jaws
48-22-3521	11" TORQUE LOCK™ Locking C-Clamp Swivel Jaws
48-22-3532	6" TORQUE LOCK™ Locking C-Clamp Regular Jaws
48-22-3531	11" TORQUE LOCK™ Locking C-Clamp Regular Jaws

PLIERS (คีม)



General Information

Part #	Description	Part #	Description
48-22-3079	6 in 1 Combo Pliers	48-22-6103	Crimping Pliers
48-22-3070	6 in 1 Combo Pliers for Non-Metallic Wire	48-22-6101	Long Nose Pliers
48-22-6109	Wire Strippers	48-22-6100	Linesman Pliers
48-22-6104	Cable Cutting Pliers		



General Information

Part #	Description	Part #	Description
48-22-6102	Ironworker's Pliers	48-22-6108	8" Diagonal Cutting Pliers
48-22-6407	7" Nipping Pliers	48-22-6107	7" Diagonal Cutting Pliers
48-22-6410	Fencing Pliers	48-22-6106	6" Diagonal Cutting Pliers
48-22-6321	PVC/Oil Filter Pliers		

PIPE WRENCHES (ประแจแป๊ป)

NEW



General Information

Part #	Description	Part #	Description
48-22-7110	10" Steel Pipe Wrench	48-22-7210	10" Aluminum Pipe Wrench
48-22-7112	12" Steel Pipe Wrench	48-22-7212	12" Aluminum Pipe Wrench
48-22-7114	14" Steel Pipe Wrench	48-22-7214	14" Aluminum Pipe Wrench
48-22-7118	18" Steel Pipe Wrench	48-22-7218	18" Aluminum Pipe Wrench
48-22-7314	Cheater Pipe Wrench	48-22-7224	24" Aluminum Pipe Wrench

ADJUSTABLE WRENCHES (NEW)



General Information

Part #	Description	Part #	Description
48-22-7406	6" Adjustable Wrench	48-22-7412	12" Adjustable Wrench
48-22-7408	8" Adjustable Wrench	48-22-7415	15" Adjustable Wrench
48-22-7508	8" Wide Jaw Adjustable Wrench	48-22-7400	2pc. Adjustable Wrench Set 6" & 10"
48-22-7410	10" Adjustable Wrench		

HEX JAWS PLIERS & STRAIGHT-JAWS PLIERS (NEW)



General Information

Part #	Description	Part #	Description
48-22-6306	6" Straight Jaw Pliers	48-22-6208	8" Hex Jaw Pliers
48-22-6310	10" Straight Jaw Pliers	48-22-6210	10" Hex Jaw Pliers
48-22-6312	12" Straight Jaw Pliers	48-22-6212	12" Hex Jaw Pliers
48-22-6316	16" Straight Jaw Pliers	48-22-6330	6" & 10" Straight Jaw Plier Set
48-22-6320	20" Straight Jaw Pliers	48-22-6331	3pc Plier Set

HAND TOOLS



**MOST DURABLE.
BEST FIT.**


**UP TO
30x
LIFE™**



**PRECISE
FIT
CUSTOM
MACHINED
TIP™**



**OPTIMIZED
SHOCK
ZONE™**



**CUSTOM
ALLOY76™
STEEL**

SHOCKWAVE
IMPACT DUTY **TM**

SHOCKWAVE™ IMPACT DUTY DRIVER BITS

Info	Drive Size	Length	1 Pack	2 Pack	5 Pack	10 Pack
PHILLIPS® 	P2R	1"		48-32-4444		
	PH1	1"		48-32-4411	48-32-4661	
	PH1	2"	48-32-4461			
	PH2	1"		48-32-4412	48-32-4601	
	PH2	2"	48-32-4462		48-32-4602	
	PH2	3-1/2"	48-32-4562		48-32-4604	
	PH2	6"	48-32-4802			48-32-4207
	PH3	1"		48-32-4413	48-32-4663	
	PH3	2"	48-32-4463			
	PH3	3-1/2"	48-32-4563			
	PH3	6"				48-32-4208

Info	Drive Size	Length	1 Pack	2 Pack	5 Pack	10 Pack
TORX 	T10	2"	48-32-4482			
	T15	1"				
	T15	2"	48-32-4483			
	T15	3-1/2"				
	T20	1"		48-32-4414		
	T20	2"	48-32-4484	48-32-4984		
	T20	3-1/2"				
	T25	1"		48-32-4436		
	T25	2"	48-32-4485	48-32-4985	48-32-4685	
	T25	3-1/2"	48-32-4561			
	T25	6"				48-32-4246
	T27	2"	48-32-4486			
	T27	3-1/2"				
	T30	2"	48-32-4487	48-32-4914		
	T30	3-1/2"				
T40	2"					

Info	Drive Size	Length	2 Pack	5 Pack
ECX™ 	ECX™ 1	1"	48-32-4441	
	ECX™ 1	2"		48-32-4491
	ECX™ 2	1"	48-32-4442	
	ECX™ 2	2"		48-32-4492

Info	Drive Size	Length	1 Pack	2 Pack	5 Pack	10 Contractor Pack	10 Pack
Square Recess 	SQ1	1"		48-32-4421	48-32-4621		
	SQ1	2"	48-32-4471				
	SQ1	3-1/2"					
	SQ2	1"		48-32-4422	48-32-4605	48-32-4607	
	SQ2	2"	48-32-4472		48-32-4606		
	SQ2	3-1/2"	48-32-4572				48-32-4215
	SQ2	6"	48-32-4805				
	SQ3	1"		48-32-4423			
	SQ3	2"	48-32-4473	48-32-4910			
	SQ3	3-1/2"	48-32-4573				
SQ3	6"					48-32-4216	

Info	Drive Size	Length	1 Pack	2 Pack
Slotted 	SL 1/4" #10	1"		48-32-4418
	SL 1/4" #10	2"	48-32-4918	
	SL 1/8" #6	1"		48-32-4416
	SL 1/8" #6	2"	48-32-4916	
	SL 3/16" #8	1"		48-32-4417
	SL 3/16" #8	2"	48-32-4919	

SHOCKWAVE™ IMPACT DUTY DRIVER BITS

Info	Description	Length	10 Pack
Double Ended Bits 	Double Ended Power Bit Phillips	65mm	48-32-4360
		65mm	48-32-4361
		65mm	48-32-4362
		100mm	48-32-4363
		100mm	48-32-4364
		100mm	48-32-4365

Info	SAE Bit	Length	25 Pack (Bulk)
Hex 	7/64"	1"	48-32-4703
	9/64"	1"	48-32-4705
	Metric Bit	Length	25 Pack (Bulk)
	10mm	1"	48-32-4730
	12mm	1"	48-32-4731
	24mm	1"	48-32-4724
	3mm	1"	48-32-4725
	4mm	1"	48-32-4726
	5mm	1"	48-32-4727
	6mm	1"	48-32-4728
	8mm	1"	48-32-4729

SHOCKWAVE™ MAGNETIC BIT HOLDERS

Description	25 Pack (Bulk)	
12" Magnetic Bit Tip Holder	48-32-4512	
2.36" Magnetic Bit Tip Holder	48-32-4502	
2.36" Magnetic Bit Tip Holder		
3" Magnetic Bit Tip Holder	48-32-4503	
3" Magnetic Bit Tip Holder		
3" Magnetic Bit Tip Holder	48-32-4508	
3" Magnetic Bit Tip Holder		
6" Magnetic Bit Tip Holder	48-32-4511	
6" Magnetic Bit Tip Holder		
Description	Includes	SKU
Shockwave™ 11PC 30° Knuckle™	(1) Phillips® Bit 1" P1	48-32-2301
	(1) Phillips® Bit 1" P2	
	(1) Phillips® Bit 1" P3	
	(1) Slotted Bit 1" SL 1/4"	
	(1) Slotted Bit 1" SL 1/8"	
	(1) Slotted Bit 1" SL 3/16"	
	(1) Slotted Bit 1" SL 9/32"	
	(1) Square Bit 1" SQ	
	(1) Square Bit 1" SQ2	
	(1) TORX® Bit 1" T25	
(1) Shockwave™ 30 Knuckle Pivoting Bit Holder		

ACCESSORIES
Shockwave
Impact Duty



Nothing but **HEAVY DUTY**®

HOLE DOZER™

MOST DURABLE HOLE SAW. PERIOD.

ใช้งานทนทานดีที่สุดใน

RIP GUARD™

Tooth Design Prevents Breaking

การออกแบบฟันที่ป้องกัน
การเสียหาย

- มีเหล็กเพื่อเพิ่มความแข็งแรงของฟัน

PLUG JACK™

All-Access Slot

- รูสล๊อตกว้างกว่าเพื่อการจัดเศษวัสดุฐานที่ง่ายขึ้น



Hole Ø mm	Hole Ø inch	Thread	Part #	Hole Ø mm	Hole Ø inch	Thread	Part #
14	9/16"	1/2"-20	49-56-9690	57	2-1/4"	5/8"-18	49-56-9628
16	5/8"	1/2"-20	49-56-9603	59	2-5/16"	5/8"-18	49-56-9629
17	11/16"	1/2"-20	49-56-9604	60	2-3/8"	5/8"-18	49-56-9630
19	3/4"	1/2"-20	49-56-9605	64	2-1/2"	5/8"-18	49-56-9631
21	13/16"	1/2"-20	49-56-9606	65	2-9/16"	5/8"-18	49-56-9632
22	7/8"	1/2"-20	49-56-9607	67	2-5/8"	5/8"-18	49-56-9633
24	15/16"	1/2"-20	49-56-9608	70	2-3/4"	5/8"-18	49-56-9635
25	1"	1/2"-20	49-56-9609	73	2-7/8"	5/8"-18	49-56-9636
27	1-1/16"	1/2"-20	49-56-9610	76	3"	5/8"-18	49-56-9637
29	1-1/8"	1/2"-20	49-56-9611	79	3-1/8"	5/8"-18	49-56-9638
30	1-3/16"	1/2"-20	49-56-9612	83	3-1/4"	5/8"-18	49-56-9639
32	1-1/4"	5/8"-18	49-56-9613	86	3-3/8"	5/8"-18	49-56-9640
33	1-5/16"	5/8"-18	49-56-9614	89	3-1/2"	5/8"-18	49-56-9641
35	1-3/8"	5/8"-18	49-56-9615	92	3-5/8"	5/8"-18	49-56-9642
37	1-7/16"	5/8"-18	49-56-9616	95	3-3/4"	5/8"-18	49-56-9643
38	1-1/2"	5/8"-18	49-56-9617	98	3-7/8"	5/8"-18	49-56-9644
40	1-9/16"	5/8"-18	49-56-9618	102	4"	5/8"-18	49-56-9645
41	1-5/8"	5/8"-18	49-56-9619	105	4-1/8"	5/8"-18	49-56-9646
43	1-11/16"	5/8"-18	49-56-9620	108	4-1/4"	5/8"-18	49-56-9647
44	1-3/4"	5/8"-18	49-56-9621	111	4-3/8"	5/8"-18	49-56-9648
46	1-13/16"	5/8"-18	49-56-9622	114	4-1/2"	5/8"-18	49-56-9649
48	1-7/8"	5/8"-18	49-56-9623	121	4-3/4"	5/8"-18	49-56-9650
51	2"	5/8"-18	49-56-9624	127	5"	5/8"-18	49-56-9652
52	2-1/16"	5/8"-18	49-56-9625	140	5-1/2"	5/8"-18	49-56-9654
54	2-1/8"	5/8"-18	49-56-9626	152	6"	5/8"-18	49-56-9656

Model	Description
49-56-6560	Arbor Adapter
49-56-6950	Hole Saw Small Arbor 1/4" Shank
49-56-7000	Hole Saw Small Arbor 7/16" Shank
49-56-7040	Hole Saw Large Arbor 3/8" Shank
49-56-7055	Hole Saw Large Arbor 7/16" Q/C, Thru-hole
49-56-7210	Hole Saw Small Arbor 3/8" Q/C Twist Release™
49-56-7240	Hole Saw Large Arbor 7/16" Q/C, Ergo Grip
49-56-7250	Hole Saw Large Arbor 3/8" Q/C, Ergo Grip
49-56-8000	Hole Saw Thunderbolt™ Pilot Drill 1/4" X 4"
49-56-8005	Hole Saw Carbide Tipped Pilot Drill 1/4" X 3 1/2"
49-56-8010	Hole Saw Thunderbolt™ Pilot Drill 1/4" X 3 1/2"
49-56-8031	Hole Saw Thunderbolt™ Pilot Drill 1/4" X 4" - Bulk (12)
49-56-8033	Hole Saw Thunderbolt™ Pilot Drill 1/4" X 3 1/2" - Bulk (12)
49-56-9100	Hole Saw Large Arbor 7/16" Q/C, No Wobble
49-67-0120	Adapter Spacer



HOLE SAW ARBORS (แกน Hole Saw)

UNIVERSAL

- ใช้ได้กับดอก Hole Saw ทุกแบรนด์ชั้นนำ
- เข้าได้กับหัวขนาด 1/4" หรือ หัวจับ 3 แกน

DURABLE

- ทำจากเหล็กอัลลอยด์ชุบแข็งเพื่อความทนทาน

QUICK CHANGE ARBORS

- ถอดง่ายไม่ต้องมีอุปกรณ์
- ไม่ต้องใช้ adapter ต่อ



	49-56-7210	49-56-7000	49-56-6950	49-56-7055	49-56-9100	49-56-7250	49-56-7240
	Quick Change			Quick Change	Quick Change	Quick Change	Quick Change
Hole Saw Size Range	Up to 1-3/8" (35mm)			1-1/4" & Larger (32mm +)			
Minimum Chuck Size	3/8" (10mm)	1/2" (13mm)	1/4" (6mm)	1/2" (13mm)	1/2" (13mm)	3/8" (10mm)	1/2" (13mm)
Works with Pilot Bits	49-56-8000, 49-56-8010, 49-56-8005		49-56-8000, 49-56-8005		49-56-8000, 49-56-8010, 49-56-8005		

PILOT BITS

- THUNDERBOLT® Pilot Bit with Thicker Core - Up To 5X More Durable

135° Split Point - No Walking



Description	Individual Package	Bulk	Qty
1/4" x 4" THUNDERBOLT® Pilot Bit	49-56-8000	49-56-8031	12
1/4" x 3-1/2" THUNDERBOLT® Pilot Bit	49-56-8010	49-56-8033	12
1/4" x 4" Carbide Tipped Pilot Bit	49-56-8005		



Nothing but **HEAVY DUTY**®

SAWZALL® BLADE SELECTION GUIDE

1 Identify the material to be cut in the columns below

2 Follow the column down to find **BEST PERFORMANCE** or **ACCEPTABLE PERFORMANCE**

	WOOD WITH NAILS	PVC & PLASTIC	ALUMINIUM & OTHER NON-FERROUS METALS	THICK METAL (3/8" - 9/16")	MEDIUM METAL (1/4" - 7/16")	THIN METAL (1/8" - 5/16")	SHEET METAL (1/16" - 3/16")	CLEAN WOOD	TIMBER & GREEN WOOD	PLASTER/ DRYWALL	TILE	FIBERGLASS	BRICK	CAST IRON
BEST PERFORMANCE														
ACCEPTABLE PERFORMANCE														
WOOD CUTTING	FASTER/ ROUGHER													
4/6 TPI														
5/8 TPI														
6 TPI														
GENERAL PURPOSE		FASTER/ ROUGHER	FASTER/ ROUGHER	FASTER/ ROUGHER										
8 TPI														
8/12 TPI	SLOWER/ SMOOTHER													
10/14 TPI					FASTER/ ROUGHER									
METAL CUTTING		SLOWER/ SMOOTHER	SLOWER/ SMOOTHER			FASTER/ ROUGHER								
10 TPI														
14 TPI				SLOWER/ SMOOTHER										
18 TPI					SLOWER/ SMOOTHER		FASTER/ ROUGHER							
24 TPI						SLOWER/ SMOOTHER	SLOWER/ SMOOTHER							
SPECIALTY														
PRUNING														
CLEAN WOOD														
PLASTER														
CARBIDE GRIT														
DIAMOND GRIT														

3 Follow the row to the left to identify the appropriate teeth per inch (TPI) or specialty blade

Note: Fewer TPI cut faster but rougher, while more TPI cut smoother but slower


4 Choose the Blade Length (Width of Material + 3" = Minimum Blade Length)

5 Choose the Blade Profile

EXAMPLE



Schedule 40 PVC Pipe



Angle Iron

DEMOLITION BLADES FOR TOUGH STRAIGHT CUTS:



THIN KERF BLADES FOR FAST FLEXIBLE CUTS:



WOOD CUTTING SAWZALL® BLADE


NAIL GUARD
RIPS NAILS NOT TEETH™



NAIL GUARD.

ORDINARY TOOTH

FANG TIP™
FASTER PLUNGING



FANG TIP™

ORDINARY TIP



THE AX™ wood-cutting blades are designed to provide tough, straight cuts in nail-embedded wood and engineered lumber. Choose THE AX™ blades for straighter door and window cut-outs or for greater tooth durability when cutting a lot of nails. THE AX™ blades are 1" tall and 0.062" thick.



Thin Kerf wood-cutting blades are designed to provide fast, flexible cuts in nail-embedded wood and engineered lumber. Choose Thin Kerf blades for flush cuts and scroll cuts or for slightly faster cutting in dimensional lumber, plywood and OSB. Thin Kerf wood-cutting blades are 3/4" tall and 0.050" thick.

THE AX™ TOUGH STRAIGHT CUTS

TPI	Length	5 Packs	25 Packs
5	6"	48-00-5021	48-00-8021
5	9"	48-00-5026	48-00-8026
5	12"	48-00-5027	48-00-8027

THIN KERF FAST FLEXIBLE CUTS

5 Packs	50 Packs
48-00-5035	48-01-6035
48-00-5036	48-01-6036
48-00-5037	48-01-6037

ROUGH-IN
48-00-1610



IDEAL FOR TIGHT RADIUS CUTS

FLUSH CUT
48-00-1600



IDEAL FOR DOOR CUT-OUTS



Nothing but **HEAVY DUTY**®

METAL CUTTING SAWZALL® BLADE

DOUBLE DUTY UPGRADE™



THE TORCH™ metal-cutting blades are designed to provide tough, straight cuts in all metal materials. Choose THE TORCH™ blades when you need straight cuts in pipe or tube, or when you need greater tooth durability in hollow materials like strut or conduit. THE TORCH™ blades are 1" tall and 0.042" thick.


Thin Kerf metal-cutting blades are designed to provide fast, flexible cuts in all metal materials. Choose Thin Kerf blades when you need flexibility for flush cuts or scroll cuts, or when you need flexibility for flush cuts or scroll cuts, or when you want faster cuts in solid materials like threaded rod or bar stock. Thin Kerf metal-cutting blades are 3/4" tall and 0.035" thick.



Choose ICE HARDENED™ blades when cutting thick or hard materials like angle iron, rebar and schedule 80 pipe that cause excessive heat build up. In these extreme applications, ICE HARDENED™ cryogenics will extend the wear life of the blade.

TPI	Length	THE TORCH™ TOUGH STRAIGHT CUTS			THIN KERF FAST FLEXIBLE CUTS		
		5 Packs	25 Packs	ice hardened 5 Packs	5 Packs	50 Packs	ice hardened 5 Packs
10	4"	-	-	-	48-00-5090	-	-
10	6"	48-00-5712	48-00-8712	48-00-4712	48-00-5092	48-01-6092	-
10	9"	48-00-5713	48-00-8713	48-00-4713	-	-	-
10	12"	48-00-5714	-	-	-	-	-
14	4"	-	-	-	48-00-5181	-	-
14	6"	48-00-5782	48-00-8782	48-00-4782	48-00-5182	48-01-6182	48-00-4182
14	9"	48-00-5787	48-00-8787	48-00-4787	48-00-5187	48-01-6187	48-00-4187
14	12"	48-00-5794	-	-	-	-	48-00-4184
18	4"	-	-	-	48-00-5183	-	48-00-4188
18	6"	48-00-5784	48-00-8784	48-00-4784	48-00-5184	48-01-6184	48-00-4189
18	9"	48-00-5788	48-00-8788	48-00-4788	48-00-5188	48-01-6188	48-00-4186
18	12"	48-00-5789	48-00-8789	-	48-00-5189	48-01-6189	-
24	4"	-	-	-	48-00-5185	-	-
24	6"	48-00-5786	-	-	48-00-5186	48-01-6186	-
24	9"	48-00-5790	-	-	-	-	-
24	12"	48-00-5791	-	-	-	-	-

DUCTWORK
48-00-1630



IDEAL FOR INSTALLING TAKE-OFFS

DRYWALL ACCESS
48-00-1640



IDEAL FOR SERVICING PLUMBING AND ELECTRICAL

MULTI-MATERIAL SAWZALL® BLADES

THE **WRECKER™**
TACKLE ANYTHING

Choose multi-material blades when cutting wood, plastic and metal at the same time or when you need to quickly switch between applications without changing your blade.



THE WRECKER™ multi-material blades are designed for true demolition work. Choose THE WRECKER™ blades when you need tough cuts in nail-embedded wood, plaster and ferrous and nonferrous metals. THE WRECKER™ blades are 1" tall and 0.062" thick.



Thin Kerf multi-material blades are designed to provide fast, flexible cuts in woods, plastics and metals. 8/12 TPI blades are 3/4" tall and 0.050" thick, while 10/14 TPI blades are 3/4" tall and 0.035" thick.



TPI	Length	THE WRECKER™ TOUGH STRAIGHT CUTS		THIN KERF FAST FLEXIBLE CUTS		
		5 Packs	25 Packs	5 Packs	50 Packs	ice hardened 5 Packs
8	6"	48-00-5701	48-00-8701	-	-	-
8	9"	48-00-5706	48-00-8706	-	-	-
8	12"	48-00-5711	48-00-8711	-	-	-
8/12	6"	-	-	48-00-5091	48-00-6091	48-00-4091
8/12	8"	-	-	48-00-5093	48-00-6093	48-00-4093
8/12	12"	-	-	48-00-5094	48-00-6094	-
10/14	8"	-	-	48-00-5193	-	-
10/14	12"	-	-	48-00-5194	-	-



SPECIALTY SAWZALL® BLADE


Description	TPI	Length	Height	Width	1 Pack	5 Packs
DUCTWORK	30	3.33"	0.75"	0.050"	-	48-00-1630
DRYWALL ACCESS	-	2.5"	0.75"	0.062"	48-00-1640	-
FLUSH CUT	5	12"	2-1/8"	0.062"	48-00-1600	-
ROUGH-IN	5	7-3/8"	1/2"	0.062"	-	48-00-1610
THE TORCH™ DIAMOND GRIT	GRIT	6"	1"	0.042"	48-00-1440	-
	GRIT	9"	1"	0.042"	48-00-1450	-
CARBIDE GRIT	GRIT	6"	3/4"	0.032"	48-00-1421	48-00-1420 (3 Packs)
	GRIT	9"	3/4"	0.032"	48-00-1431	48-00-1430 (3 Packs)
PRUNING	5	9"	3/4"	0.049"	48-00-1304	48-00-1301
	5	12"	3/4"	0.049"	48-00-1305	48-00-1303
CLEAN WOOD	6	6"	3/4"	0.050"	-	48-00-5015
	6	9"	3/4"	0.050"	-	48-00-5016
	6	12"	3/4"	0.050"	-	48-00-5017
PLASTER	6	5"	3/4"	0.050"	-	48-00-5052
METAL SCROLLING	10	3-5/8"	5/16"	0.035"	-	48-00-5161
	14	3-5/8"	5/16"	0.035"	-	48-00-5162
WOOD SCROLLING	18	3-5/8"	5/16"	0.035"	-	48-00-5163
DIAMOND GRIT	4/6	6"	1/2"	0.050"	-	48-00-5041

DIAMOND GRIT THE TORCH™
48-00-1440 and 48-00-1450



IDEAL FOR CAST IRON

SCRAPER BLADES
49-00-5455, 49-00-5456 and 49-00-5463



IDEAL FOR MATERIAL REMOVAL

ACCESSORIES
SAWZALL®
Blades

